

Microwaves.

Even though these days our busy lives often seem to leave less and less time for cooking, **we still want to be able to eat tasty, healthy food.** With a Bosch freestanding microwave, it is possible to put good food on the table – fast.



Automatic weight programme

Press the programme button, select the programme number and enter the weight. The oven will automatically calculate the optimum power and time required to cook or defrost your dish to perfection.

Memory function

Store your favourite recipe instructions, then simply press the memo button to repeat the sequence any time.

Integral grill

Bosch brings you the best of both worlds, with an integral 1000W quartz grill and microwave/grill combination programmes on selected models. So you can enjoy all the benefits of fast microwave cooking, without sacrificing the delicious browned crispiness you only get with a traditional grill.

Under cabinet installation

Selected Bosch freestanding microwaves can optionally be mounted neatly underneath a kitchen wall cabinet, allowing convenient access while preserving precious worktop space. (Models HMT75M451/461B and HMT72M450B)



Microwave

HMT75M451 brushed steel
HMT75M461 black



- 17 litre capacity (0.6 cu.ft.) freestanding microwave with electronic controls
- Designed to complement the Bosch freestanding cooker range
- 245mm diameter glass turntable
- LED display for microwave power level, cooking duration and 24 hour clock
- Electronic timer (up to 99 minutes)
- Push button controls for selecting power levels
- Retractable rotary control for timer and weight settings
- 5 power levels: 90/180/360/600/800W
- 4 weight automatic defrost programmes
- 3 weight automatic cooking programmes
- Memory function
- Can be installed under a wall unit

Microwave with integral grill

HMT75G451 brushed steel



- 17 litre capacity (0.6 cu.ft.) freestanding microwave with electronic controls and integral 1000W quartz grill
- Designed to complement the Bosch freestanding cooker range
- 245mm diameter glass turntable
- LED display for microwave power level, cooking duration and 24 hour clock
- Electronic timer (up to 99 minutes)
- Push button controls for selecting power levels
- Retractable rotary control for timer and weight settings
- 5 power levels: 90/180/360/600/800W
- 1000W quartz grill function
- 4 weight automatic defrost programmes
- 3 weight automatic cooking programmes
- 1 weight combination cooking programme
- Memory function
- Wire grid supplied



Microwave

HMT72M450 brushed steel



- 17 litre capacity (0.6 cu.ft.) freestanding microwave
- Designed to complement the Bosch freestanding cooker range
- 245mm diameter glass turntable
- Timer (up to 60 minutes)
- Retractable rotary controls for power level and timer settings
- 5 power levels: 90/180/360/600/800W
- Interior light
- Can be installed under a wall unit

Microwave with integral grill

HMT75G450 brushed steel



- 17 litre capacity (0.6 cu.ft.) freestanding microwave with integral 1000W quartz grill
- Designed to complement the Bosch freestanding cooker range
- 245mm diameter glass turntable
- Timer (up to 60 minutes)
- Rotary controls for power level and timer settings
- 5 power levels: 90/180/360/600/800W
- 1000W quartz grill function
- 2 microwave/grill combination programmes
- Interior light
- Wire grid supplied

Freestanding and range cooker specifications

FREESTANDING COOKERS

MODEL	Logixx			Exxxel		Classixx	
	HLN 658250B	HLN 653250B	HLN 448250B	HLN 343260B	HLN 343250B	HLN 342220B	HLN 342250B
Illustrated on page	P113	P115	P117	P118	P118	P119	P119
COOKER FEATURES							
Electronic system	●	●	–	–	–	–	–
Fixed / Retractable controls	–/●	–/●	–/●	–/●	–/●	●/–	●/–
Illuminated display	●	●	●	●	●	●	●
LED clock / timer	–	–	●	●	●	●	●
Electronic LED clock / timer	●	●	–	–	–	–	–
Electronic temperature display	●	●	–	–	–	–	–
Info button	●	●	–	–	–	–	–
Safety lock function	●	●	●	●	●	●	●
Automatic safety shut off	●	●	–	–	–	–	–
Cooling fan	●	●	●	–	–	–	–
Automatic fan cut off ⁶	●	●	–	–	–	–	–
Heat reflective glass	●	●	●	●	●	●	●
Double / Triple glazed door	–/●	–/●	●/–	●/–	●/–	●/–	●/–
Drop down door	●	●	●	●	●	●	●
Interior light	●	●	●	●	●	●	●
Independent oven interior light switch	●	●	–	–	–	–	–
Fast heat up function	●	●	●	–	–	–	–
Closed door grilling	●	●	●	●	●	●	●
Automatic pot roast programmes	●	●	–	–	–	–	–
Max. oven cooking temperature	300°C	300°C	270°C	270°C	270°C	270°C	270°C
Pyrolytic self-cleaning function	●	●	–	–	–	–	–
Oxylytic cleaning function ¹	–	–	RBS	RBS	RBS	–	–
Recessed grill element	●	●	●	●	●	●	●
Large viewing window	●	●	●	●	●	●	●
Smooth grey enamel interior	–	–	●	●	●	●	●
Moulded grey enamel oven interior	●	●	–	–	–	–	–
Storage drawer	●	●	●	●	●	●	●
COOKING FUNCTIONS							
Conventional top & bottom heat	●	●	●	●	●	●	●
Hot air cooking	●	●	●	●	●	●	●
Variable full width grill	●	●	●	●	●	●	●
Half width grill	●	●	●	●	●	●	●
Hot air grilling	●	●	●	●	●	●	●
Bottom heat	●	●	●	●	●	●	●
Defrost setting	●	●	●	●	●	●	●
Pizza setting	●	●	●	–	–	–	–
HOB FEATURES							
Type of hob	Induction	Ceramic	Induction	Ceramic	Ceramic	Ceramic	Ceramic
Number of cooking zones	4	4	4	4	4	4	4
Front mounted controls	●	●	●	●	●	●	●
Control knobs on oven fascia	–	●	–	●	●	●	●
Electronic touch controls	●	–	●	–	–	–	–
Boost setting	●	–	●	–	–	–	–
Automatic pan recognition	●	–	●	–	–	–	–
Residual heat indicators	Hh	●	Hh	●	●	●	●
Dual circuit zones	–	1	–	1	1	–	–
Power settings	9	9	9	9	9	9	9
Safety lock function	●	–	●	–	–	–	–
Cooking zone diameter	mm						
Front left	180	145	180	145	145	145	145
Back left	180	120-210	180	120-210	120-210	180	180
Front right	220	180	220	180	180	180	180
Back right	145	145	145	145	145	145	145
Cooking zone ratings	kW						
Front left	1.8 (2.5*)	1.2	1.8 (2.5*)	1.2	1.2	1.2	1.2
Back left	1.8 (2.5*)	2.2	1.8 (2.5*)	2.2	2.2	1.8	1.8
Front right	2.2 (3.0*)	1.8	2.2 (3.0*)	1.8	1.8	1.8	1.8
Back right	1.4 (1.8*)	1.2	1.4 (1.8*)	1.2	1.2	1.2	1.2
STANDARD ACCESSORIES							
Wire shelves	2	2	2	2	2	2	2
Grill pan insert	1	1	1	1	1	1	1
Enamel roasting / grill pan	●	●	●	●	●	●	●
ENERGY EFFICIENCY INFORMATION							
Energy efficiency class ³	A	A	A	B	B	B	B
Heating function ⁴	Forced Air	Forced Air	Forced Air	Forced Air	Forced Air	Forced Air	Forced Air
Energy consumption: Conventional in kWh ³	kWh	0.89	0.89	0.89	0.95	0.95	0.95
Energy consumption: Forced air ⁵ in kWh ³	kWh	0.79	0.79	0.79	0.85	0.85	0.85
Useable volume in litres	60	60	58	58	58	58	58
Size of cavity ²	Medium	Medium	Medium	Medium	Medium	Medium	Medium
Time to cook a standard load ³	mins	48.5	48.5	44	41	41	41
Area of largest baking sheet ³	cm	1,350	1,350	1,350	1,350	1,350	1,350
TECHNICAL INFORMATION							
Oven interior dimensions (HxWxD)	cm	32.3 x 45 x 40.8	32.3 x 45 x 40.8	32.3 x 42 x 42.3	32.3 x 42 x 42.3	32.3 x 42 x 42.3	32.3 x 42 x 42.3
Total connected load	kW	10.5	9.7	10.7	9.2	9.2	8.8
Appliance weight	kg	57.5	50	56.5	63.5	63.5	63.5
Max. Voltage	V	240	240	240	240	240	240
Max. current draw ²	A	46	42	47	40	40	38
VDE / CE Approved	●	●	●	●	●	●	●
OPTIONAL ACCESSORIES							
Extra deep roasting / grill pan	HEZ333000	HEZ333000	HEZ333000	HEZ333000	HEZ333000	HEZ333000	HEZ333000
Telescopic shelf rails (3 levels)	–	–	HEZ338305	HEZ338305	HEZ338305	HEZ338305	HEZ338305

RANGE COOKERS

MODEL	HSB 745A55E	HSB 745O55E	
Illustrated on page	P121	P122	
COOKER FEATURES			
Fixed / Retractable controls	●/–	●/–	
Electronic LED clock / timer	●	●	
Cooling fan	●	●	
Heat reflective glass	●	●	
Double / Triple glazed door(s)	–/●	–/●	
Drop down door(s)	●	●	
Interior light	●	●	
MAIN OVEN			
Conventional top & bottom heat	●	●	
Hot air cooking	●	●	
Three stage variable grill	●	●	
Full width / half width grill	●	●	
Hot air grilling	●	●	
Bottom heat	●	●	
Defrost setting	●	●	
Max. oven cooking temperature	250°C	250°C	
Smooth grey enamel interior with shelf rails	●	●	
SECOND OVEN			
Conventional top & bottom heat	●	–	
Top heat	●	–	
Bottom heat	●	–	
Three stage variable grill	●	–	
Max. oven cooking temperature	250°C	–	
Smooth interior with shelf rails	●	●	
STANDARD ACCESSORIES			
Wire shelves	2	1	2
Grill pan insert	1	1	1
Enamel roasting / grill pan	●	●	●
Energy Efficiency Information	Main	Secondary	Main
Energy efficiency class ⁴	B	B	B
Heating function ⁵	Forced Air	Conventional	Conventional
Energy consumption: Conventional in kWh ⁴			1.19
Energy consumption: Forced air ⁶ in kWh ⁴			–
Useable volume in litres			81
Size of cavity ⁴	Medium	Small	Large
Time to cook a standard load ⁴	mins		51
Area of largest baking sheet ⁴	cm ²		1650
TECHNICAL INFORMATION			
Main oven interior dimensions (HxWxD)	cm	33 x 37 x 42.7	31 x 67 x 39
Second oven interior dimensions (HxWxD)	cm	33 x 22 x 42.7	–
Total connected load	kW	3.8	2.8
Appliance weight	kg	96	90
Max. Voltage	V	240	230
VDE / CE Approved	●	●	●
OPTIONAL ACCESSORIES			
Brushed steel back panel	HEZ745100	HEZ745090	

1 R = Roof; B = Back; S = Sides
 2 We recommend that all models should be connected using a fused spur outlet
 3 According to Norm EN50304
 4 Heating function determining energy efficiency rating
 5 Hot Air
 6 When in use, the fan automatically shuts off when oven door is opened
 7 (*) max. level using boost

Microwave specifications

	17L MICROWAVE	17L MICROWAVE WITH GRILL	17L ELECTRONIC MICROWAVE	17L ELECTRONIC MICROWAVE	17L ELECTRONIC MICROWAVE WITH GRILL
MODEL	HMT 72M450B	HMT 72G450B	HMT 75M461B	HMT 75M451B	HMT 75G451B
FEATURES					
Can be installed under a wall unit	●	–	●	●	–
Electronic controls	–	–	●	●	●
LED display	–	–	●	●	●
Electronic clock	–	–	●	●	●
99 minute timer	–	–	●	●	●
60 minute timer	●	●	–	–	–
Push button controls	●	●	●	●	●
Retractable controls	–	–	●	●	●
Rotary controls	●	●	–	–	–
Colour co-ordinated controls	●	●	●	●	●
Left hinged door	●	●	●	●	●
Door open button	●	●	●	●	●
Interior light	●	●	●	●	●
Microwave power levels	5	5	5	5	5
Maximum microwave power level	800W	800W	800W	800W	800W
Quartz grill	–	●	–	–	●
Microwave combination cooking	–	●	–	–	●
Glass turntable	●	●	●	●	●
Stainless steel interior	–	–	–	–	●
Weight automatic programmes	–	–	7	7	8
Microwave/grill combination programmes	–	2	–	–	3
Memory function	–	–	●	●	●
Wire grid	–	1	–	–	1
TECHNICAL INFORMATION					
Oven Capacity	L 17	17	17	17	17
Turntable diameter	cm 24.5	24.5	24.5	24.5	24.5
Grill power	W –	1000	–	–	1000
Total connected load	kW 1.27	1.27	1.27	1.27	1.27
Max. current draw	A 6	6	6	6	6
CE/VDE approved	●	●	●	●	●
Appliance weight	kg 13.6	13.6	13.6	13.6	13.6
Weight including packaging	kg 15.0	15.0	15.0	15.0	15.0
Dimensions (HxWxD)	cm 28x46x22	28x46x22	28x46x22	28x46x22	28x46x22